



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## LOCAL ENTOMOLOGICAL NOTES.

Members of the New York Entomological Society and all others, are solicited to contribute to this column, their rare captures, local lists and other items of interest relating to the insect fauna of New York city and vicinity.

### LIST OF THE COLEOPTERA OF NORTH EASTERN AMERICA, WITH SPECIAL REFERENCE TO THE FAUNA OF NEW YORK CITY AND VICINITY.

BY CHARLES W. LENG and WM. BEUTENMULLER.

(CONTINUED FROM PAGE 146).

#### HALIPLIDÆ.

##### HALIPLUS *Latr.*

*H. fasciatus* *Aube.*—Found near N. Y. City and all Middle and Western States.

*H. punctatus* *Aube.*—Found near N. Y. City and all Middle and Western States.

*H. triopsis* *Say.*—Taken near N. Y. City and all Middle and Western States, Canada.

*H. ruficollis* *De G.*—Found near N. Y. City and all Middle and Western States, Canada and westward (also Europe).

*H. longulus* *Lec.*—Taken in this vicinity, Mass., Lake Superior (also Wyoming).

*H. cribrarius* *Lec.*—Not found near N. Y. City. Occurs in Vermont, Lake Superior and Can. (also Dakota).

*H. borealis* *Lec.*—Michigan (Hubbard & Schwarz).

#### CNEMIDOTUS *Er.*

*C. 12 punctatus* *Say.*—Near N. Y. City and all Middle and Western States, Canada.

*C. edentulus* *Lec.*—Near N. Y. City and all Middle and Western States.

*C. muticus* *Lec.*—Middle and Western States.

#### DYTISCIDÆ.

All the Dytiscidæ are water beetles, swimming freely and occur in ponds large and small. They also fly well and thus are taken at electric lights and on glass roofs, stunned by falling upon them in mistake for water.

#### CANTHYDRUS *Sharp.*

*C. bicolor* *Say.*—Rare near N. Y. City. Occurs abundantly further south, Conn., N. J., Pa. (also Va., Ga., Fla.).

HYDROCANTHUS *Say.*

**H. iricolor** *Say.*—Abundant in Woodside Lake (Staten Island) and elsewhere near N. Y. City, also N. J., Pa., O., (and Ga., La., Fla.).

LACCOPHILUS *Leach.*

**L. maculosus** *Germ.*—N. E. Amer. In every pond, the most common water-beetle.

**L. proximus** *Say.*—Lake Superior Region. Not yet recognized in our ponds, but occurs at Peekskill (Sherman), also reported from N. J., Can., O., Iowa, Ill., (also Tex., Fla., Neb. and Cal.).

**L. fasciatus** *Aube.*—Occurs here with *L. maculosus*, but less common, also found all over the United States.

**L. undatus** *Aube.*—Northfield Iron Ore ponds (Staten Island), rare; also N. J., Pa.

**L. gentilis** *Lee.*—N. Y., La.

HYDROVATUS *Mots.*

**H. cuspidatus** *Germ.*—Very abundant on Staten Island, also in all Middle and Western States.

**H. pustulatus** *Muls.*—N. J., Ill., Vt.

DESMOPACHRIA *Bab.*

**D. convexa** *Aube.*—N. Y. City and vicinity. Common on Staten Island; N. J., and Middle States.

BIDESSUS *Sharp.*

**B. flavicollis** *Lee.*—Ill., Pa., (Crotch).

**B. affinis** *Say.*—Our common species is called by this name, also reported from the Atlantic Region, N. J., Ohio, Lake Superior, (also Tex., N. Mex., Cal. and Vanc.).

**B. lacustris** *Say.*—Rare near N. Y. City. Reported to inhabit the Atlantic Region, Ohio (Dury), Lake Superior.

**B. fuscatus** *Cr.*—Lake Superior to Fla. (Crotch). Found abundantly at Peekskill, N. Y., among submerged leaves in a wooded swamp (Sherman).

**B. granarius** *Aube.*—Rare on Staten Island N. J. (Smith), Vermont (Roberts), Southern States (Crotch),

CELINA *Aube.*

**C. angustata** *Aube.*—Very rarely found in the Iron Ore ponds on Staten Island. Reported from the Southern States (Crotch).

COELAMBUS *Thom.*

**C. inæqualis** *Fabr.*—Near N. Y. City, N. J., Middle and Western States, Lake Superior, Can. (also Europe).

**C. punctatus** *Say.*—Near N. Y. City, N. J. (Smith), Va., Middle and Western States, Col.

- C. farctus** *Lec.*.—N. J. (Crotch), Mass.  
**C. turbidus** *Lec.*.—Near N. Y. City, Mass., Vt., Ohio (Dury).  
**C. medialis** *Lec.*.—Near N. Y. City, (also San Diego, Calif.).  
**C. nubilus** *Lec.*.—Near N. Y. City, Buffalo, N. Y., N. J., O. (also Kan., Col., Tex.).  
**C. suturalis** *Lec.*.—Lake Superior.  
**C. impressopunctatus** *Sch.*.—Near N. Y. City, N. J., Mass., Ill., Lake Superior, Can. (also Asia). This species on Staten Island, inhabits the salt meadow creeks.  
**C. acaroides** *Lec.*.—Ohio (Dury).  
**C. dissimilis** *G. & H.*.—Lake Superior.

### DERONECTES *Sharp.*

- D. depressus** *Fabr.*.—Canada. Buffalo, N. Y. (Reinecke), Michigan (Schwarz), (also N. Europe).  
**D. catascopium** *Say.*.—Peekskill, N. Y. Very rare. Quebec, Can. (Cooper), Iowa and Vancouver also Labrador.  
**D. griseostriatus** *De G.*.—Found near N. Y. City, N. J., Mass., N. Y., Can., Lake Superior and westward to Cal. (also Arctic Siberia and Alpine and northern Europe).

### HYDROPORUS *Clairv.*

- H. aulicus** *Aube.*.—Not found here. Tenn.  
**H. concinnus** *Lec.*.—Rare near N. Y. City, N. J., Can., O., Ill. (also Neb.).  
**H. pulcher** *Lec.*.—Not found here. Reported from N. J. (Smith), Vt. (Roberts).  
**H. mellitus** *Lec.*.—Occurs in New England.  
**H. undulatus** *Say.*.—Common in this vicinity, N. J., Pa., Conn.  
**H. spurius** *Lec.*.—Rare in this vicinity. Vt. (Roberts), Canada.  
**H. consimilis** *Lec.*.—Not found here. N. J., Lake Superior, Ohio (Dury), Ottawa, Can. (Harrington).  
**H. sericeus** *Lec.*.—Not found in this vicinity. Can., Lake Superior, Ill.  
**H. proximus** *Aube.*.—Canada.  
**H. hybridus** *Aube.*.—Canada (Harrington).  
**H. striatopunctatus** *Muls.*.—Found in this vicinity and Middle States.  
**H. anticus** *Sharp.*.—Not found here. Vt. (Roberts).  
**H. mixtus** *Lec.*.—N. Y. City and vicinity, N. Hampsh. (Slosson), Vt. (also Neb.).  
**H. alpinus** *Payk.*.—N. Y. City and vicinity, Can., Lake Superior, Hudson Bay region (also Lapland and Norway).  
**H. obscurus** *Sturm.*.—N. J.  
**H. tenebrosus** *Lec.*.—N. J., Lake Superior, Labrador.  
**H. signatus** *Mann.*.—Can., Ill. Reported from Peekskill, N. Y.  
**H. tristis** *Payk.*.—N. Y. City and vicinity, Mass., Vt. and Arctic region, Lake Superior, Can. to Alaska (also northern Siberia and Europe).  
**H. americanus** *Aube.*.—N. Y. City and vicinity, N. J., Peekskill, N. Y., in submerged moss in swamp. Ottawa, Can. (Harrington).  
**H. dichrous** *Muls.*.—N. Y. City and vicinity, N. J., Ill., Canada.  
**H. niger** *Say.*.—Not found here. Can., Vt., N. Hampshire.

- H. modestus** *Aube.*—N. Y. City and vicinity, N. J., Conn., Canada.  
**H. stagnalis** *G. & H.*—N. Y. City and vicinity, N. J., Can., Vt., Lake Superior.  
**H. oblitus** *Aube.*—Peekskill, N. Y. Rare. Middle States, Lake Superior.  
**H. difformis** *Lec.*—N. Y., Mass. (also Ga.).  
**H. oblongus** *Steph.*—Can., L. Superior, Pa., Mich. (also Vancouver, Finland and Arctic Siberia).  
**H. tartaricus** *Lec.*—Peekskill, N. Y. (Sherman), Vt., Lake Superior, Can. (also Hudson Bay, Col. and Arctic Siberia).  
**H. laccophilinus** *Lec.*—Peekskill, N. Y. (Sherman).  
**H. caliginosus** *Lec.*—Lake Superior, Quebec, Canada (Cooper), Labrador.  
**H. septentrionalis** *Gyll.*—Lake Superior, eastern Siberia and north. Europe.  
**H. vilis** *Lec.*—Lake Superior.  
**H. notabilis** *Lec.*—Lake Superior, Can.  
**H. atriceps** *Cr.*—White Mts., N.H. (also Finland, Scotland, Arctic Siberia).

#### ILYBIUS *De Geer.*

- I. ater** *De G.*—Reported from Pa. It is a European species and the determination may be incorrect.  
**I. pleuriticus** *Lec.*—Reported from Pa. and Lake Superior, (also Kan., Alaska, Siberia and Europe).  
**I. angustior** *Gyll.*—Occurs in Labrador, Lake Superior (also Kansas).  
**I. biguttatus** *Germ.*—Abundant near N. Y. City, N. J., Pa., Conn., O., Ill., Michigan, Can. (Couper).  
**I. fraterculus** *Lec.*—N. Y. City and vicinity, Michigan (Schwarz), also Neb. and Kans.  
**I. 4-maculatus** *Aubé.*—Occurs at Peekskill, N. Y., N. Hampsh. (Slosson), Quebec, Can. (Couper), (Sherman), (also in Or. and Alaska).  
**I. ignarus** *Lec.*—Occurs at Peekskill, N. Y., rarely in a wooded swamp, (Sherman), Michigan (Schwarz).  
**I. confusus** *Aube.*—Michigan (Schwarz), Lake Superior.  
**I. assimilis** *Kby.*—Canada

#### COPTOTOMUS *Say.*

- C. interrogatus** *Fabr.*—Abundant in ponds near N. Y. City, N. J., Pa., Conn., O., Mich., Can., (also Ga., Mo., Tex. and Cal.).

#### ILYBIOSOMA *Cr.*

- I. bifarius** *Kby.*—Canada, Lake Superior Region, (Schwarz).

#### COPELATUS *Er.*

- C. glyphicus** *Say.*—Abundant near N. Y. City, in N. J., Pa., Can., Ill., (also Fla., La., Tex. and Kan.). Very common under stones along inlets of the Hudson River. Rare in ponds (Sherman), Ohio (Dury).  
**C. Chevrolatii** *Aube.*—Lake Superior Region (Schwarz).

*MATUS Aube.*

*M. bicarinatus* Say.—Abundant near N. Y. City, N. J., Quebec, Can. (Couper).

*AGABETES Cr.*

*A. acuductus* Harr.—Occurs in pools in the woods on Staten Island; common in a wooded swamp at Peekskill (Sherman), Pa. and Can.

*AGABUS Leach.*

*A. parallelus* Lec.—Rare at Peekskill (Sherman), Lake Superior, N. Hampshire, Labrador.

*A. seriatus* Say.—Common in this vicinity, in N. J., Pa., Vt., Can.

*A. obtusatus* Say.—Abundant near N. Y. City, in N. J., Can., Lake Superior.

*A. stagninus* Say.—Found in this vicinity (W. B.) Reported from Pa., Ohio (Dury), Ottawa, Can. (Harrington).

*A. semivittatus* Lec.—Reported from Pa., Ohio, Can. (also Kan. Tex).

*A. punctatus* Mels.—Not common in this vicinity (W. B.), N. J. (Smith), Pa., Canada (also Ga.).

*A. semipunctatus* Kby.—Reported from Can., Lake Superior, Labrador, (also Mo).

*A. inscriptus* Cr.—Labrador.

*A. punctulatus* Aube.—Newfoundland, Lake Superior, Can., Pa., (also Wash. State).

*A. taeniolatus* Harr.—Reported in N. J. (Smith), Pa., Ohio (Dury).

*A. disintegratus* Cr.—N. E. Amer. Common in this vicinity, (also Neb., Kan., Ariz., Tex.).

*A. nigroæneus* Er.—Lake Superior, Can. (also Kan., Calif., Europe and Siberia).

*A. hypomelas* Mann.—Quebec, Canada (Couper).

*A. tristis* Aube.—Quebec, Canada (Couper).

*A. leptapsis* Lec.—Michigan.

*A. reticulatus* Kby.—Rare near Peekskill, N. Y. (Sherman).

*A. infuscatus* Aube.—Rare near N. Y. City. Lake Superior.

*A. Lecontei* Cr.—New Hampshire (Austin).

*A. erythropterus* Say.—N. Y. City and vicinity, N. J., Pa., Mass., Lake Superior.

*A. congener* Payk.—N. Y. City and vicinity, Vt., Pa., Mass., Labrador, Greenland, Wht. Mts. N. H. (Europe and Siberia).

*A. arcticus* Payk.—Labrador (also Scotland, Lapland and Arctic Siberia).

*A. gagates* Aube.—N. Y. City and vicinity, common. Pa., Vt., N. J., Mass., Lake Superior.

*A. clavatus* Lec.—Reported from N. J., (also Kan.).

*A. fimbriatus* Lec.—Reported from N. J., Pa., Lake Superior, Canada.

*A. anthracinus* Mann.—Canada, Lake Superior (also Alaska).

*A. confinis* Gyll.—Vermont, Lake Superior, Michigan, New Hampshire, Can., (also Hudson Bay, Alaska, Sweden, Finland).

*A. subfuscatus* Sharp.—Canada (Kilman).

**A. ambiguus** Say.—Lake Superior Region, Labrador.

**A. longulus** Lec.—Michigan.

**SCUTOPTERUS** Esch.

**S. angustus** Lec.—Canada, Lake Superior (also Kan.).

**S. Hornii** Cr.—Canada.

**RHANTUS** Esch.

**R. flavogriseus** Cr.—Found near N. Y. City, Michigan (Schwarz).

**R. binotatus** Harr.—N. E. Amer. (also the whole U. S.).

**R. calidus** Fabr.—Rare near N. Y. City, N. J. (also Ga.).

**R. bistriatus** Bergst.—N. Y., N. J., Mass., Ill., Lake Superior, northward and westward (also Europe and Siberia).

**A. sinuatus** Lec.—Peekskill, N. Y., rare (Sherman), Michigan (Schwarz).

**COLYMBETES** Clair.

**C. sculptus** Harr.—N. E. Amer. (also Id., Mont., Or., Cal.).

**C. groenlandicus** Aube.—Greenland.

**HYDATICUS** Leach.

**H. stagnalis** Fabr.—Found near N. Y. City; Pa., N. Hampsh. (Slosson), Mich., Wisc. (also N. Europe and N. Siberia).

**H. piceus** Lec.—Taken near N. Y. City, N. J., Pa., Ill., Lake Superior and Canada).

**H. bimarginatus** Say.—Taken near N. Y. City, N. J., Pa., Ohio (also Ga., Fla.).

**DYTISCUS** Linn.

**D. sublimbatus** Lec.—Ohio (Dury), Lake Superior, Canada.

**D. fasciventris** Say.—N. Y. City and vicinity, N. J., Pa., New Hampshire (Slosson), Lake Superior, Ohio, Canada.

**D. hybridus** Aube.—N. Y. City and vicinity, N. J., Pa., Ill., Ohio (also Kan.).

**D. verticalis** Say.—N. Y. City and vicinity, N. J., N. Hampsh. (Slosson). Pa., Lake Superior, Can.

**D. Harrisii** Kby.—N. J., Pa., Lake Superior, N. Hampsh. (Slosson), Can. (also Kan., Vanc.).

**D. marginicollis** Lec.—Ohio (Dury), Ill.

**D. dauricus** Gebl.—Maine to Alaska, Michigan (Schwarz), Quebec, Can. (Couper).

**ACILIUS** Leach.

**A. semisulcatus** Aube.—N. E. Amer.

**A. fraternus** Harr.—N. E. Amer. Common.

**A. mediatus** Say.—N. E. Amer.

**THERMONECTES** Esch.

**T. ornatocollis** Aube.—N. Y. City and vicinity, Pa., Ill. (also Tex., N. Mex. and Kan.).

**T. basilaris** Harr.—N. E. Amer. (also Ga., Tex.).

GRAPHODERES *Esch.*

**G. liberus** *Say*.—N. Y. City and vicinity, N. J., Pa., Conn., Mass., Lake Superior.

**G. fasciatocollis** *Harr.*—N. Y. City and vicinity, N. J., Pa., Mich. (also Cal., Wash., Europe, N. Siberia).

CYBISTER *Curt.*

**C. fimbriolatus** *Say*.—N. Y. City and vicinity, N. J., O., Pa. (also Ga., La., Kansas).

GYRINIDÆ.

The Gyrinidæ are also water beetles, but live habitually on its surface where they may be seen in schools, swimming in circles and mingling together. They are commonly called whirligigs also apple-bugs, owing to their peculiar apple-like odor.

GYRINUS *Linn.*

**G. minutus** *Fabr.*—Lake Superior and Labrador (also Hud. Bay, Wash., Europe and Asia).

**G. rockinghamensis** *Lec.*—N. Y., N. J. (also N. C. and Fla.).

**G. confinis** *Lec.*—Buffalo, N. Y. (Reinecke), Lake Superior Region and westward.

**G. fraternus** *Coup.*—Canada, Lake Superior.

**G. limbatus** *Say*.—N. Y., N. J., Canada, Lake Superior.

**G. dichrous** *Lec.*—Reported from N. Y. City and vicinity, N. Eng., N. J., N. Y., Lake Superior (also Ga.).

**G. pectoralis** *Lec.*—Lake Superior Region.

**G. elevatus** *Lec.*—Reported from N. Y. (also Utah).

**G. ventralis** *Klby.*—N. E. Amer. Abundant.

**G. aquiris** *Lec.*—Middle States, Lake Superior.

**G. maculiventris** *Lec.*—Buffalo, N. Y. (Reinecke), Lake Superior.

**G. canadensis** *Reg.*—Pa., (?); Canada.

**G. affinis** *Aube.*—N. E. Amer. Abundant.

**G. analis** *Say.*—N. E. Amer. Abundant.

**G. marinus** *Gyll.*—Greenland.

**G. borealis** *Aube.*—N. E. Amer. Abundant.

**G. lugens** *Lec.* N. Eng., Lake Superior. Rare in N. J., Ohio.

**G. picipes** *Aube.*—Peekskill, N. Y. (Sherman), Labrador, Lake Superior (Hubbard & Schwarz), (also B. Col.)

**G. æneolus** *Lec.*—Lake Superior (Hubbard & Schwarz), Ill.

DINEUTES *MacL.*

**D. vittatus** *Germ.*—N. Y. City and vicinity, N. J., Middle and Southern States.

**D. discolor** *Aube.*—Very common in this vicinity, N. E. Amer.

**D. serrulatus** *Lec.*—Rare in Middle States, more common South.

**D. assimilis** *Aube.*—N. E. Amer. Common in this vicinity.

**D. emarginatus** *Say.*—Scarce in this vicinity. N. J., Middle and Northern States.



GYRETES *Brulle*.

**G. sinuatus** *Lec.*—Quincy, Ill. (also Cal.)

HYDROPHILIDÆ.

This family includes genera of different habits.

HELOPHORUS *Fabr.*

These are water beetles found clinging to aquatic plants and when dislodged they must float on the surface, until brought in contact with another stem or leaf.

**H. lacustris** *Lec.*—N. Y. City and vicinity, N. J., Lake Superior, Canada.

**H. obscurus** *Lec.*—Taken in this vicinity on Staten Island, Canada (Harrington), (also Calif.).

**H. linearis** *Say.*—Buffalo, N. Y. (Reinecke), (also Hud. Bay).

**H. lineatus** *Say.*—N. Y. City and vicinity, N. J., Middle States, Ohio, Lake Superior Can. (also Neb.).

**H. tuberculatus** *Gyll.*—N. J., rare, N. Ill., Can., Mich., Lake Superior, Wisc. (also Europe and Asia).

HYDROCHUS *Leach*.

**H. scabratus** *Muls*—N. Y. City and vicinity, N. J., Middle and Southern States (also Ia).

**H. rugosus** *Muls.*—Middle States.

**H. inæqualis** *Lec.*—N. Y. City and vicinity, N. J., (also La).

**H. subcupreus** *Rand.*—N. Y. City and vicinity, N. J., Can., (Harrington).

**H. variolatus** *Lec.*—N. J. (also Ia. and Cal.).

**H. squamifer** *Lec.*—Buffalo, N. Y. (Reinecke), Quebec, Can. (Couper).

**H. simplex** *Lec.*—Buffalo, N. Y. (Reinecke).

OCHTHEBIUS *Leach*.

Live on the under side of stones in clear running shallow water.

**O. benefossus** *Lec.*—On the N. J. list, Vt. (Roberts).

**O. nitidus** *Lec.*—Pa., Lake Superior.

**O. foveicollis** *Lec.*—Pa. (also Fla. and N. Mex.).

HYDRÆNA *Kug.*

Live in the mud of pond bottoms and on aquatic plants under water.

**H. pennsylvanica** *Kies.*—Not rare on Staten Island, N. J., Lake Superior, Can. (also Wyom.).

HYDROPHILUS *Geoff*

Swim freely in the ponds like Dytiscidæ, but with less power.

**H. ovatus** *G. & H.*—Rare on Staten Island, N. Y., N. J., Pa., O. (not rare in Washington, D. C.).

**H. triangularis** *Say.*—N. E. Amer. (the whole U. S.) not rare in N. Y. City and vicinity at electric lights.

**H. nimbatus** *Say*.—Very common, N. Y. City and vicinity, N. J., O., Can. (also Ga., Tex., Neb.).

**H. mixtus** *Lec*.—N. Y., N. J., O., Can.

**H. glaber** *Hbst*.—N. Y. City and vicinity, common, N. J., Lake Superior, O., Can. (also Ga., Neb.).

**H. striolatus** *Lec*.—Ohio (Dury).

### HYDROCHARIS *Lat*.

Habits similar to the preceding

**H. obtusatus** *Say*.—N. Y. City and vicinity, not common, N. J., Pa., N. Eng., Can., Ill., O., (Middle and Southern States).

### BEROSUS *Leach*.

Habits same as the preceding ; rather rare.

**B. exiguus** *Say*.—Pa. and southward.

**B. pantherinus** *Lec*.—N. Y. City and vicinity, N. J., Ill., O., (also Mo., Tex.).

**B. peregrinus** *Hbst*.—N. Y. City and vicinity, N. J., Ohio, Can., Middle and Southern States.

**B. immaculatus** *Zimm*.—Ill. (also N. C. and Mo.).

**B. infuscatus** *Lec*.—N. J. Atlantic Slope to the Pacific.

**B. pugnax** *Lec*.—Ill. (also Mo.).

**B. striatus** *Say*.—N. Y. City and vicinity, N. J., Pa., N. Eng., Middle States, O., Can.

### CHÆTARTHRIA *Steph*.

**C. atra** *Lec*.—N. Y. (Leconte).

### LACCOBIUS *Er*.

**L. agilis** *Rand*.—N. Y. City and vicinity, N. J., O., Middle States, Lake Superior, Can. (also Kan.).

### PHILHYDRUS *Sol*.

Habits similar to the preceding.

**P. nebulosus** *Say*.—N. Y. City and vicinity, N. J., Ohio, Lake Superior, Can. (also Ga., Kan., Neb., Ariz., Tex. and Cal.).

**P. ochraceus** *Mels*.—N. J., Conn., Ohio, Can., Middle and Southern States (also Mex.).

**P. reflexipennis** *Zimm*.—N. Y. City and vicinity, N. J., Vt. (Roberts), (also Del.).

**P. cinctus** *Say*.—N. Y. City and vicinity, Can., New Eng. States, westward to Kan., and south to Ga.

**P. diffusus** *Lec*.—N. Y. City and vicinity, N. J., Ill., Can. (also Neb., Dak., Wyom. and Calif.).

**P. perplexus** *Lec*.—N. Y. City and vicinity, N. J., Pa., Ill., Lake Superior, Can., southward to Fla., and westward to Tex.

**P. Hamiltoni** *Horn.*—N. Y. City and vicinity, N. J., Can., Mass. (also N. Cal. and Or.)

*HELOCHARES Muls.*

**P. maculicollis** *Muls.*—Ohio (Dury), Ill. (also Mo., Ky., N. C., Fla. to Tex.

*CYMBIODYTA Bedel.*

**H. fimbriata** *Mels.*—N. Y. City and vicinity, N. J., Vt., Pa., Middle States, N. Eng. States, Can. (also Tex.).

**H. lacustris** *Lec.* N. Y. City and vicinity, N. J., Lake Superior, Canada, New. Eng.

**H. rotundatus** *Say.*—N. J. rare, Pa., Mass., Can. (also N. C.).

**C. Blanchardi** *Horn.*—Vt., Watkins Glen, N. Y. (Slosson), Mass., Pa. also D. C.).

*HELECOMBUS Horn.*

**H. bifidus** *Lec.*—N. Y. City and vicinity, N. J., Middle and Southern States, N. Eng., Can., Labrador.

*HYDROBIUS Leach.*

**H. tessellatus** *Ziegl.*—N. Y. City and vicinity, Can., Middle States to Fla., and N. Eng. to Ill.

**H. tumidus** *Lec.*—N. Y., Pa., Can., Middle States to Fla.

**H. globulosus** *Say.*—N. Y. City and vicinity, N. J., Pa., Mass., Canada Middle and N. Eng. States.

**H. fuscipes** *Linn.*—N. Y., N. J., Pa., Vt., N. Hampsh., Can., westward to Cal. and Alaska (also Europe and Siberia).

*CRENIPHILUS Mots.*

**C. digestus** *Lec.*—Lake Superior, Niagara, N. H., Can. to N. Mex.

**C. subcupreus** *Lec.*—N. Y. City and vicinity, N. J., O., Pa., Can., Middle and N. Eng. States, Lake Superior (also Neb., Fla., Cal., Or., Ariz., Tex.).

**C. depectus** *Lec.*—Eastern and Middle States, Pa., Ill., Can., Mich., Mass.

**C. suturalis** *Lec.*—N. J., Peekskill, N. Y. (Sherman), Middle States, Can. (also Ga.).

**C. monticola** *Horn.*—White Mts., N. H., Pa. (Horn).

(TO BE CONTINUED.)